


**to be adopted**  
of pure culture free from contamination is essential for good yield.  
will be harvested regularly to avoid overcrowding.  
is an important factor for good growth. It should be around 35 degrees  
fodder plot is to be covered with a plastic sheet in cold regions so as to  
protect of cold weather.  
direct and adequate sunlight should be preferred. A shady place yield less.  
medium should be between 5.5 to 7.  
nutrients such as cow dung slurry, micronutrients should be supplemented as  
required.

শ্রম কৃষি কর্ম অভিজ্ঞতা অর্জন-২০২৪  
"RURAL AGRICULTURAL WORK  
EXPERIENCE  
PROGRAMME-2024"  
"গোলাঘাট দল"  
বিষয়: Agri. Entrepreneurship  
তারিখ: 05/04/2024, বৃহস্পতিবার ১০:৩০  
কৃষি বিজ্ঞান কেন্দ্র, গোলাঘাট  
Krishi Vigyan Kendra, Golaghat  
আসাম কৃষি বিশ্ববিদ্যালয়, জৈনট-১১  
Assam Agricultural University, Jaintia-11





 **GPS Map Camera**




Bordihingia, Assam, India  
JQV6+VMG, Bordihingia, Assam 785619, India  
Lat 26.645735°  
Long 93.760243°  
09/04/24 01:46 PM GMT +05:30




 **GPS Map Camera**

Golaghat, Assam, India  
JQW6+43R, Assam 785619, India  
Lat 26.645642°  
Long 93.760263°  
09/04/24 01:35 PM GMT +05:30





 **GPS Map Camera**



Golaghat, Assam, India  
JQW6+43R, Assam 785619, India  
Lat 26.645564°  
Long 93.760278°  
09/04/24 01:07 PM GMT +05:30

Dimension:  
ht=55-75 cm  
width=70-90cm  
According to the availability of biomass need  
under shade.  
slanting to one side so that the excess  
out  
nk should consist of a hole which is  
through which excess water can be  
niwash which is a liquid manure and






 **GPS Map Camera**



Golaghat, Assam, India  
JQW6+43R, Assam 785619, India  
Lat 26.645544°  
Long 93.76041°  
09/04/24 12:51 PM GMT +05:30



**GPS Map Camera**

Golaghat, Assam, India  
JQW6+43R, Assam 785619, India  
Lat 26.645476°  
Long 93.760346°  
09/04/24 12:51 PM GMT +05:30